

General and Older Adult Mental Health Evaluation Advisory Group

May 12, 2004

Attendance	Names
ADAMH	Thomas Chapman, Mina Chang, Troy Hughes
CHOICES	Liz Clark
Columbus Area	
Concord	
DFYF	
Dublin	Debbie Shubouf, Anna Keels
North Central	Ali Koca
North Community	
Northwest	Mary Ellen Franzen
Southeast	

2004 Priority

**To develop client level
standardized outcomes
indicators of relapse, positive
discharge, and improvement**

Agenda

- **Agency specific outcomes results**
- **Agency roundtable discussion of key indicators**
- **Summary**
- **Next steps**

Outcomes Analysis

The analysis of outcomes:

- Provides up to date information of the outcomes process
- Indicates the types of analyses which may be included in the annual report
- Provides information which may help when working towards the 2004 goal

Outcomes Analysis

Outcomes scores are improving for consumers who have at least 2 outcomes surveys.

Administration by UPID


adminst	upid									Total
	1161	1167	1186	1195	1197	1850	1880	3188	6723	
1 (init)	668	565	262	504	1319	307	326	756	1265	5972
2 (3mos)	78	109	2	147	101	1	6	135	306	885
3 (6mos)	46	83	142	37	57	1	6	116	2	490
4 (9mos)	22	41	0	25	24	0	2	76	2	192
5 (annual)	35	40	4	29	71	0	1	66	5	251
6 (termination)	48	30	1	6	128	98	20	38	272	641
Total	897	868	411	748	1700	407	361	1187	1852	8431

Change in Subscales

The change in subscale scores between first and last administration occurs in the desired direction, *symptom distress* decreases and *quality of life* and *quality of life: financial* increase.

Variable	N	Mean	Std Dev	Min	Max
QOL	1406	0.24	0.66	-3.25	2.75
QOL: FINAN	1409	0.32	0.99	-3.33	4.00
SDS	1428	-4.14	11.78	-47.00	37.00

Change in SDS



Note: a decrease in SDS indicates improvement

Subscales by Time in System

Time in System	Quality of Life				Quality of Life: Financial			
	N Obs	N	Mean	St Dev	N Obs	N	Mean	St Dev
< 30 days	4774	4706	2.93	0.75	4774	4723	2.07	0.99
about 90 days	890	880	3.17	0.78	890	882	2.34	1.04
about 180 days	618	613	3.23	0.77	618	613	2.42	1.05
about 270 days	436	431	3.27	0.76	436	432	2.45	1.05
about 1 year	315	315	3.09	0.73	315	315	2.27	1.02
about 1.5 years	231	229	3.09	0.72	231	227	2.32	1.05
about 2 years	219	219	3.04	0.70	219	218	2.25	0.96

Time in System	Symptom Distress			
	N Obs	N	Mean	St Dev
< 30 days	4774	4770	37.2	14.9
about 90 days	890	890	31.4	13.8
about 180 days	618	618	31.3	13.6
about 270 days	436	435	30.5	13.6
about 1 year	315	315	34.4	13.3
about 1.5 years	231	231	34.6	13.7
about 2 years	219	219	34.5	13.0

Discussion

Relapse Indicators

- Clients need to show certain improvement to have relapse
- Adult B: Self-care (current vs. initial state), isolation (vs. seeing friends), symptoms increases, problems in tx planning, termination form scale (1-5; agency specific form)
- Adult B has more symptom scales and is minimal on self-care
- General vs. older adults; diagnosis specific indicators:
 - General adult (#25; #26, #29, #30, #5, #33)
 - Older (#17, #18, #24, #31 #1, #5, #6, #10, #11,#16, #32)
 - BH general (level of care, intensive outpatient..)
 - BH older (B2,B3,D2,E1,B,C.I))
- PTSD (# 17, #18,19, 20, 21, 22, 24) higher level of symptoms (quite a bit or extremely; or increase of symptoms)
- Re-admission within one year, symptoms distress (17-22, 25)increase
- Re-admission baseline/discharge data for folks multiple episodes

Discussion

Relapse Indicators

- Outpatient group (e.g. DBT dialectical behavioral therapy - borderline personality disorder, emotion dis-regulation problems, impulsivity, suicidal/homicidal, identity disorder, relationship problems, OCD, mixed of PTSD) may have private psychiatric hospitalization, netcare crisis.
- During the course of tx at agency, clients go to netcare crisis
- Comp center clients go to urgent care? Netcare crisis
- Intake vs term assessments may not offer enough info (change to the worse in the symptom distress and diagnosis may have some indication). E.g., #21; drop-out and environmental issues may impact. These indicators may be more useful for positive discharge and improvement for intake and discharge outcomes group. eg., domestic violence clients. QOL for residential clients (terrible) and safety
- Relapse may have limited implications using intake/term assessments (2 point in time).

Next Steps

- **Preliminary analysis by indicator by symptomatology, Netcare/crisis, multiple episodes**

Next Meeting: July 14 at 1:00 pm

On the agenda:

- **2004 Priority**
- **2004 CSQ-8 Survey Results**
- **GAOAMH 2004 Annual Report**